

OFFICIAL NOTICE



State of Utah

JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

Department of Agriculture and Food

LEONARD M. BLACKHAM
Commissioner

Your property has been scheduled for insecticide treatment - SOIL

The reduced risk insecticide Acelepryn, containing the active ingredient Chlorantraniliprole, will be applied to all turf and planting beds to control Japanese beetle larvae in the soil. This product has been found to be non-toxic to humans, pets, birds, and fish. Please be sure to follow all the Before and After treatment steps.

Application Date: _____ Approximate Time: MORNING AFTERNOON

Applicator: Eco Life

You do not have to be present during the treatment as long as the applicators have access to your property, including the backyard, and you have made arrangements for all family members, including pets, to be out of the yard during treatment.

Before Treatment

Move all items i.e. lawn furniture, children's and pet's toys, pet food and water dishes indoors or to a garage or driveway before application. Large, stationary or fixed items should be covered with a large garbage bag or inexpensive disposable plastic painting drop cloth.

Keep family members and pets indoors during the application.

After Treatment

WATER THE INSECTICIDE INTO THE LAWN.

Apply about ¼ inch of water (approximately 15 minutes) to move the Acelepryn through the grass thatch and into the soil as soon as possible.

Wait until the grass and foliage have dried after watering before allowing family and pets in your yard.

Encourage careful hand washing.

For questions regarding medical information, you may contact 1-800-441-3637. For further information, please call (801) 538-7100 or (801) 538-4912 or visit:

<http://ag.utah.gov/divisions/plant/japanesebeetle/index.html>