



FIFRA Section 2(ee) Recommendation
Meso 4 SC Select
EPA Reg. No. 89442-33

TANK MIX PARTNER RECOMMENDATION AND ADDED PESTS IN CERTAIN TURFGRASS VARIETIES IN THE STATES OF AL, AR, CA, CO, CT, DE, DC, FL, GA, ID, IL, IN, IA, KS, KY, LA, ME, MD, MA, MI, MN, MS, MO, NE, NH, NJ, NC, ND, OH, OK, PA, RI, SD, TN, UT, VT, VA, WV, WI

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Always read this FIFRA 2(ee) bulletin and the entire federally approved label on the product containers before using these products. Do not apply these products in any way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Refer to and follow the full section 3 product labels for application and additional use information, precautions and restrictions.

PESTS	SITE/RATE/APPLICATION INFORMATION
<ul style="list-style-type: none"> - Black medic (<i>Medicago lupulina</i>) - Common bermudagrass 	<p>This 2(ee) Recommendation is for use on the following turf species ONLY: Kentucky bluegrass, perennial ryegrass, tall fescue</p> <p>For post-emergence control of listed broadleaf species:</p> <ul style="list-style-type: none"> - Apply 5 fl. oz./acre of Meso 4 SC Select plus 16 fl. oz./acre of Triclopyr 4E Select (EPA Reg. No. 89442-51). - Add a non-ionic surfactant at 0.25 to 0.5% v/v. - Make 2 applications on a 4-6 week interval. <p>For control of common bermudagrass:</p> <ul style="list-style-type: none"> - Apply 5 fl. oz./acre of Meso 4 SC Select plus 16 fl. oz./acre of Triclopyr 4E Select (EPA Reg. No. 89442-51). - Add a non-ionic surfactant at 0.25 to 0.5% v/v. - Make 3 to 4 applications on a 4-week interval when common bermudagrass is actively growing. - Do not over-seed for 3 weeks after the last application.

IMPORTANT NOTICE

BEFORE BUYING OR USING PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY. FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS.

It is a violation of federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This bulletin contains supplemental instructions for use of the referenced product. Follow these instructions carefully. This bulletin must be in the possession of the user at the time of application. Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. Prime Source, LLC will not be responsible for losses or damages resulting from the use of this product in any manner not specifically directed by Prime Source, LLC. User assumes all risks associated with such non-directed use. If the terms are not acceptable, return the product at once, unopened, for a refund of the purchase price. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

Prime Source, LLC. P.O. Box 250, 10025 Hwy. 264 Alternate, Middlesex, NC 27557